Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.04.2019

V - 7

Revision: 12.04.2019

1.1 Produc	t identifier
Trade nam	e: <u>S100 Colour Refresher</u>
Article nun	nber: 3490
	nt identified uses of the substance or mixture and uses advised against Void of the substance / the mixture Maintenance product
Manufactur Dr.O.K.Wad Bunsenstra D - 85053 Ir Tel. +49 84 www.wackd	ngolstadt 1-6350 Fax +49 841-63558
Further infe 1.4 Emerge	ormation obtainable from: Safety department oncy telephone number: During business hours: +49 841 63523
SECTION 2	: Hazards identification
2.1 Classifi	cation of the substance or mixture
Classificat	on according to Regulation (EC) No 1272/2008
Aerosol 1	H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.
Skin Irrit. 2	H315 Causes skin irritation.
STOT SE 3	H336 May cause drowsiness or dizziness.
	onic 2 H411 Toxic to aquatic life with long lasting effects.
The product	<b>ccording to Regulation (EC) No 1272/2008</b> t is classified and labelled according to the CLP regulation. tograms
The product	t is classified and labelled according to the CLP regulation.
The product	t is classified and labelled according to the CLP regulation. tograms
The product Hazard pic	t is classified and labelled according to the CLP regulation. tograms
The product Hazard pic GHS02 GH Signal wor Hazard-det Naphtha (pe	t is classified and labelled according to the CLP regulation. tograms Sof GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light
The product Hazard pic GHS02 GH Signal wor Hazard-det Naphtha (pe Hazard sta	t is classified and labelled according to the CLP regulation. tograms Sof GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light tements
The product Hazard pic GHS02 GH Signal wor Hazard-det Naphtha (pe Hazard sta H222-H229	t is classified and labelled according to the CLP regulation. tograms Sor GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light tements Extremely flammable aerosol. Pressurised container: May burst if heated.
The product Hazard pic GHS02 GH Signal wor Hazard-det Naphtha (pe Hazard sta	t is classified and labelled according to the CLP regulation. tograms Sor GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light tements Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation.
The product Hazard pic GHS02 GH Signal wor Hazard-det Naphtha (pe Hazard sta H222-H229 H315	t is classified and labelled according to the CLP regulation. tograms Sor GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light tements Extremely flammable aerosol. Pressurised container: May burst if heated.
The product Hazard pic GHS02 GHS Signal wor Hazard-det Naphtha (pe Hazard sta H222-H229 H315 H336 H411 Precaution	t is classified and labelled according to the CLP regulation. tograms So7 GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light tements Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. ary statements
The product Hazard pic GHS02 GH Signal wor Hazard-det Naphtha (pe Hazard sta H222-H229 H315 H336 H411 Precaution P101	t is classified and labelled according to the CLP regulation. tograms Sof GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light tements Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. ary statements If medical advice is needed, have product container or label at hand.
The product Hazard pic GHS02 GHS Signal word Hazard-det Naphtha (pe Hazard sta H222-H229 H315 H336 H411 Precaution P101 P102	t is classified and labelled according to the CLP regulation. tograms 507 GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light tements Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. ary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children.
The product Hazard pic GHS02 GH Signal word Hazard-det Naphtha (pe Hazard sta H222-H229 H315 H336 H411 Precaution P101 P102 P210	t is classified and labelled according to the CLP regulation. tograms Sof GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light tements Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. ary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
The product Hazard pic GHS02 GH Signal word Hazard-det Naphtha (pe Hazard sta H222-H229 H315 H336 H411 Precaution P101 P102	t is classified and labelled according to the CLP regulation. tograms 507 GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light tements Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. ary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children.
The product <b>Hazard pic</b> <b>GHS02 GH</b> <b>Signal word</b> <b>Hazard-det</b> <b>Naphtha (per Hazard stat</b> H222-H229 H315 H336 H411 <b>Precaution</b> P101 P102 P210 P211 P251 P260	t is classified and labelled according to the CLP regulation. tograms Sorr GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light tements Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. ary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe spray.
The product <b>Hazard pic</b> <b>GHS02 GH</b> <b>Signal word</b> <b>Azard-det</b> <b>Naphtha (period)</b> <b>Hazard sta</b> <b>H222-H229</b> H315 H336 H411 <b>Precaution</b> P101 P102 P210 P211 P251 P260 P271	t is classified and labelled according to the CLP regulation. tograms Sof GHS09 d Danger ermining components of labelling: etroleum), hydrotreated light tements Extremely flammable aerosol. Pressurised container: May burst if heated. Causes skin irritation. May cause drowsiness or dizziness. Toxic to aquatic life with long lasting effects. ary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.





according to 1907/2006/EC, Article 31

Printing date 12.04.2019

V - 7

Revision: 12.04.2019

(Contd. of page 1)

Trade name: S100 Colour Refresher

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

· Description: Mixture of the substances with nonhazardous additions.

· Dangerous components:				
CAS: 64742-49-0 EC number: 921-024-6 Reg.nr.: 01-2119475514-35	Naphtha (petroleum), hydrotreated light Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336	25-50%		
CAS: 106-97-8 EINECS: 203-448-7	butane Flam. Gas 1, H220; Press. Gas (Comp.), H280	20-<25%		
CAS: 74-98-6 EINECS: 200-827-9	propane Flam. Gas 1, H220; Press. Gas (Comp.), H280	20-<25%		
· SVHC None				

· Additional information: For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

## · 4.1 Description of first aid measures

**General information:** Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- Hazards If swallowed or in case of vomiting, danger of entering the lungs.

**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## SECTION 5: Firefighting measures

- 5.1 Extinguishing media
   Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
   For safety reasons unsuitable extinguishing agents: Water with full jet
   5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Danger of bursting.

(Contd. on page 3)



<sup>· 3.2</sup> Mixtures



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.04.2019

V - 7

Revision: 12.04.2019

(Contd. of page 2)

Trade name: S100 Colour Refresher

Cool endangered receptacles with water spray.

## **SECTION 6: Accidental release measures**

• <b>6.1 Personal precautions, protective equipment and emergency procedures</b> Keep away from ignition sources. Ensure adequate ventilation.
Avoid contact with skin and eyes. • <b>6.2 Environmental precautions:</b>
Do not allow to penetrate the ground/soil.
Do not allow to enter sewers/ surface or ground water.
<sup>•</sup> 6.3 Methods and material for containment and cleaning up:
Ensure adequate ventilation.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

## SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Use only in well ventilated areas. Avoid contact with skin and eyes. Keep away from heat and direct sunlight. **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke. Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use. Do not spray onto a naked flame or any incandescent material.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:
   Store in a cool location.
   Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:
- Protect from heat and direct sunlight.
- Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
- · 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.04.2019

V - 7

Revision: 12.04.2019

## Trade name: S100 Colour Refresher

· Decomposition temperature:

· Auto-ignition temperature:

	(Contd. of page
DNELs	
64742-49-0 Naphtha (petroleum), hyd	-
Inhalative DNEL system. effects (long-	
Additional information: The lists valid	d during the making were used as basis.
8.2 Exposure controls	
Personal protective equipment:	
General protective and hygienic mea	
	e to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages	
Be sure to clean skin thoroughly after v	
Ensure good ventilation/exhaustion at t Avoid contact with the eyes and skin.	une workplace.
Respiratory protection: Not necessar	rv if room is well-ventilated
Protection of hands:	
Protective gloves	
	able and resistant to the product/ the substance/ the preparation.
	sideration of the penetration times, rates of diffusion and the degradation
Material of gloves	
Nitrile rubber, NBR	
	es not only depend on the material, but also on further marks of quality
	facturer. As the product is a preparation of several substances, the ot be calculated in advance and has therefore to be checked prior to the
resistance of the glove material can no	)) DE CAICUIAIEO III AOVAUCE AUO HAS IDELEIDIE IO DE CHECKEO DHOLIO HE
application	
Penetration time of glove material	
Penetration time of glove material	found out by the manufacturer of the protective gloves and has to be
<b>Penetration time of glove material</b> The exact break trough time has to be observed.	
<b>Penetration time of glove material</b> The exact break trough time has to be observed.	
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses	found out by the manufacturer of the protective gloves and has to be
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p	found out by the manufacturer of the protective gloves and has to be properties
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p 9.1 Information on basic physical an	found out by the manufacturer of the protective gloves and has to be properties
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p 9.1 Information on basic physical an General Information	found out by the manufacturer of the protective gloves and has to be properties
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p 9.1 Information on basic physical an General Information Appearance:	found out by the manufacturer of the protective gloves and has to be properties nd chemical properties
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p 9.1 Information on basic physical an General Information Appearance: Form:	found out by the manufacturer of the protective gloves and has to be properties nd chemical properties Aerosol
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p 9.1 Information on basic physical an General Information Appearance: Form: Colour:	found out by the manufacturer of the protective gloves and has to be properties nd chemical properties
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour:	found out by the manufacturer of the protective gloves and has to be properties nd chemical properties Aerosol Light yellow
observed. <b>Eye protection:</b> Safety glasses <b>SECTION 9: Physical and chemical p</b> 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: Odour threshold:	found out by the manufacturer of the protective gloves and has to be properties nd chemical properties Aerosol Light yellow Characteristic
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value:	found out by the manufacturer of the protective gloves and has to be properties nd chemical properties Aerosol Light yellow Characteristic Not determined.
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition	found out by the manufacturer of the protective gloves and has to be properties nd chemical properties Aerosol Light yellow Characteristic Not determined. Void
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point:	found out by the manufacturer of the protective gloves and has to be properties nd chemical properties Aerosol Light yellow Characteristic Not determined. Void Undetermined.
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point: Initial boiling point and boiling ran	found out by the manufacturer of the protective gloves and has to be properties nd chemical properties Aerosol Light yellow Characteristic Not determined. Void Undetermined. nge: -44 °C
Penetration time of glove material The exact break trough time has to be observed. Eye protection: Safety glasses SECTION 9: Physical and chemical p 9.1 Information on basic physical an General Information Appearance: Form: Colour: Odour: Odour: Odour threshold: pH-value: Change in condition Melting point/freezing point:	found out by the manufacturer of the protective gloves and has to be properties nd chemical properties Aerosol Light yellow Characteristic Not determined. Void Undetermined.

Not determined.

Product is not selfigniting.





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.04.2019

V - 7

Revision: 12.04.2019

## Trade name: S100 Colour Refresher

	(Contd. of page
Explosive properties:	Product is not explosive. However, formation of explosive air/vapou mixtures are possible.
Explosion limits:	
Lower:	1.5 Vol %
Upper:	10.9 Vol %
Vapour pressure at 20 °C:	8300 hPa
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

#### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Store away from oxidising agents.
- 10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

## SECTION 11: Toxicological information

#### · 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

## 64742-49-0 Naphtha (petroleum), hydrotreated light

Oral LD50 >5,840 mg/kg (rat)

106-97-8 butane

Inhalative LC50/4 h 658 mg/l (rat)

- · Specific symptoms in biological assay: Not determined
- · Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.04.2019

V - 7

Revision: 12.04.2019

Trade name: S100 Colour Refresher

(Contd. of page 5)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small guantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

## SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Disposal must be made according to official regulations.

#### · European waste catalogue

16 00 00WASTES NOT OTHERWISE SPECIFIED IN THE LIST16 05 00gases in pressure containers and discarded chemicals

16 05 04\* gases in pressure containers (including halons) containing hazardous substances

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN1950	
· 14.2 UN proper shipping name · ADR	1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS	
	(Contd. on page	





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.04.2019

V - 7

Revision: 12.04.2019

## Trade name: S100 Colour Refresher

	(Contd. of page
IMDG	AEROSOLS (Naphtha (petroleum), hydrotreated light), MARINE POLLUTANT
ΙΑΤΑ	AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1
IMDG, IATA	<b>•</b> /
Class	2.1
Label	2.1
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Product contains environmentally hazardous substances: Naphtha (petroleum), hydrotreated light
Marine pollutant:	Yes Sumbol (fick and fine)
Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	
Danger code (Kemler):	Warning: Gases. -
EMS Number:	F-D.S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear c living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
14.7 Transport in bulk according to Anne Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
- • •	Not permitted as Excepted Quantity
Transport category	2
Tunnel restriction code	D
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.04.2019

V - 7

Revision: 12.04.2019

(Contd. of page 7)

Trade name: S100 Colour Refresher

· UN "Model Regulation":

UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

## SECTION 15: Regulatory information

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** No further relevant information available.

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category
   P3a FLAMMABLE AEROSOLS
   E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H220 Extremely flammable gas. H225 Highly flammable liquid and vapour. H280 Contains gas under pressure; may explode if heated. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects. Classification according to Regulation (EC) No 1272/2008 Calculation method • Abbreviations and acronyms: Flam. Gas 1: Flammable gases - Category 1 Aerosol 1: Aerosols - Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

\*\* Data compared to the previous version altered.

FU