Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2021 V - 7.1 (replaces version 7.0) Revision: 16.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: S100 Moto Wash

· Article number: 3400, 3403

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against Void
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Dr. O.K. Wack Chemie GmbH

Bunsenstraße 6 DE-85053 Ingolstadt Tel.: +49 841 635-0 Mail: info@dr-wack.com www.dr-wack.com

- · Further information obtainable from: Safety department
- · 1.4 Emergency telephone number: During business hours: +49 841 635-23

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H319 Causes serious eye irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of the substances with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	ethanol	1-5%
EINECS: 200-578-6	Flam. Liq. 2, H225; Eye Irrit. 2, H319	
Reg.nr.: 01-2119457610-43-xxxx	Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2021 V - 7.1 (replaces version 7.0) Revision: 16.11.2021

Trade name: S100 Moto Wash

		(Contd. of page 1)
CAS: 111798-26-6	Poly(oxy- 1,2 -ethanediyl), alpha-(2-ethylhexyl)-omega- hydroxy-, phosphate, sodium salt	1-5%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 28348-53-0 EINECS: 248-983-7 Reg.nr.: 01-2119489411-37-xxxx	sodium cumenesulphonate Eye Irrit. 2, H319	1-5%
CAS: 97489-15-1 EC number: 307-055-2 Reg.nr.: 01-2119489924-20-xxxx	Sulfonic acids, C14-17-sec-alkane, sodium salts Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 15 % Eye Irrit. 2; H319: 10 % ≤ C < 15 %	1-<3%
CAS: 3811-73-2 EINECS: 223-296-5	pyridine-2-thiol 1-oxide, sodium salt Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H332	≥0.0025-<0.025%

- · SVHC None
- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air.
- · After skin contact:

Generally the product does not irritate the skin.

Rinse with warm water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

 Particular danger of slipping on leaked/spilled product.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2021 V - 7.1 (replaces version 7.0) Revision: 16.11.2021

Trade name: S100 Moto Wash

(Contd. of page 2)

· 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Clean the affected area carefully; suitable cleaners are:

Warm water

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: Protect from frost.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
64-17-5 et	thanol	
Oral	DNEL system. effects (long-term)	87 mg/kg KG/Tag (Consumer)
Dermal	DNEL systemic effects	343 mg/kg (Worker)
	DNEL system. effects (long-term)	206 mg/kg KG/Tag (Consumer)
Inhalative	DNEL system. effects (long-term)	114 mg/m³ (Consumer)
		950 mg/m³ (Worker)
	DNEL local effects (short-term)	950 mg/m³ (Consumer)
		1,900 mg/m³ (Worker)
28348-53-	0 sodium cumenesulphonate	
Dermal	DNEL system. effects (long-term)	7.6 mg/kg KG/Tag (Worker)
Inhalative	DNEL system. effects (long-term)	53.6 mg/m³ (Worker)
97489-15-	1 Sulfonic acids, C14-17-sec-alk	ane, sodium salts
Oral	DNEL system. effects (long-term)	7.1 mg/kg KG/Tag (Consumer)
Dermal	DNEL local effects (short-term)	28,000 mg/m² (Consumer)
		28,000 mg/m² (Worker)
	DNEL system. effects (long-term)	3.57 mg/kg KG/Tag (Consumer)
		5 mg/kg KG/Tag (Worker)
Inhalative	DNEL local effects (long-term)	12.4 mg/m³ (Consumer)
	DNEL system. effects (long-term)	35 mg/m³ (Worker)

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2021 V - 7.1 (replaces version 7.0) Revision: 16.11.2021

Trade name: S100 Moto Wash

	(Contd. of page 3)
PNECS	3
64-17-	5 ethanol
PNEC	0.79 mg/l (Meerwasser)
	0.96 mg/l (fresh water)
28348-	53-0 sodium cumenesulphonate
PNEC	0.23 mg/l (fresh water)
97489-	15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts
	0.004 mg/l (Meerwasser)
	0.04 mg/l (fresh water)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- · Respiratory protection: Not required.
- · Hand protection

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Melting point/freezing point:

Fluid

Yellow
Characteristic
Not determined
Undetermined

· Boiling point or initial boiling point and boiling

range 78-240 °C
Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Void
· Upper: Void
· Flash point: None

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2021 V - 7.1 (replaces version 7.0) Revision: 16.11.2021

23 hPa

Trade name: S100 Moto Wash

(Contd. of page 4)

· Auto-ignition temperature: Product is not selfigniting.

Decomposition temperature: Not determined.

· pH at 20 °C 7.5 +/- 0.2 (DIN 19268)

· Viscosity:

· Kinematic viscosity Not determined

Dynamic at 20 °C: 130 +/- 20 mPas (DIN 53019)

· Solubility

water: Fully miscible.

Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C:

· Density and/or relative density

Density at 20 °C: 1.03 +/- 0.02 g/cm³ (DIN 51757)

Relative densityVapour densityNot determined.Not determined.

· 9.2 Other information

· Appearance:

· Form: Viscous

· Important information on protection of health and

environment, and on safety.

· **Ignition temperature:** Not determined

• Explosive properties: Product does not present an explosion hazard.

Change in condition

• Evaporation rate Not determined.

· Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void
Flammable liquids Void

· Flammable solids Void
· Self-reactive substances and mixtures Void
· Pyrophoric liquids Void

Pyrophoric solids Void
Self-heating substances and mixtures Void

· Substances and mixtures, which emit flammable

gases in contact with water Void
Oxidising liquids Void
Oxidising solids

· Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability

Desensitised explosives

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Store away from oxidising agents.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2021 V - 7.1 (replaces version 7.0) Revision: 16.11.2021

Trade name: S100 Moto Wash

(Contd. of page 5)

· 10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications.

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

	/		
· LD/LC50	· LD/LC50 values relevant for classification:		
64-17-5 et	64-17-5 ethanol		
Oral	LD50	10,470 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>20 mg/l (mouse)	
111798-26	6-6 Poly(o	xy- 1,2 -ethanediyl), alpha-(2-ethylhexyl)-omega-hydroxy-, phosphate, sodium salt	
Oral	LD50	>5,000 mg/kg (rat)	
28348-53-0 sodium cumenesulphonate			
Oral	LD50	>7,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
97489-15-	1 Sulfonio	acids, C14-17-sec-alkane, sodium salts	
Oral	LD50	>500-2,000 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (mouse)	

- · Specific symptoms in biological assay: Not determined
- · Skin corrosion/irritation

No irritating effect.

Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

	•	Aaı	ıatic	tox	icity:	
--	---	-----	-------	-----	--------	--

64-17-5 ethanol

EC50/48h >10,000 mg/l (daphnia magna)

LC50/48h 8,140 mg/l (leuciscus idus)

111798-26-6 Poly(oxy- 1,2 -ethanediyl), alpha-(2-ethylhexyl)-omega-hydroxy-, phosphate, sodium salt

LC50/96h 75 mg/l (oncorhynchus mykiss) (DIN 38412/15)

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2021 V - 7.1 (replaces version 7.0) Revision: 16.11.2021

Trade name: S100 Moto Wash

		(Contd. of page 6)
	EC50/24h	342 mg/l (daphnia magna) (DIN 38412/11)
	EC50/48h	267 mg/l (daphnia magna) (DIN 38412/11)
	LC50/48h	260 mg/l (leuciscus idus) (DIN 38412/15)
	28348-53-	0 sodium cumenesulphonate
	LC50/96h	>1,000 mg/l (Fish)
	EC50/48h	>1,000 mg/l (daphnia magna)
	97489-15-	1 Sulfonic acids, C14-17-sec-alkane, sodium salts
	LC50/96h	1-10 mg/l (danio rerio)
	EC50/72h	>61 mg/l (Desmodesmus subspicatus)
	EC50/48h	9.81 mg/l (daphnia magna)
	3811-73-2	pyridine-2-thiol 1-oxide, sodium salt
	LC50/96h	0.00767 mg/l (danio rerio)
	EC50/72h	0.46 mg/l (selenastrum capricornutum)
	EC50/3h	1.81 mg/l (Belebtschlamm)
	EC50/48h	0.022 mg/l (daphnia magna)
_	40 0 Dawai	atomas and daggedability. No further relevant information available

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation Disposal must be made according to official regulations.

ſ	· European waste catalogue	
		MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
ſ	20 01 00	separately collected fractions (except 15 01)
ſ	20 01 30	detergents other than those mentioned in 20 01 29

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

- F

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 16.11.2021 V - 7.1 (replaces version 7.0) Revision: 16.11.2021

Trade name: S100 Moto Wash

(Contd. of page 7)

·	
14.1 UN number or ID number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	None No
14.6 Special precautions for user	None
14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

(Contd. on page 9)

Premium-Pflege

Safety data sheet according to 1907/2006/EC, Article 31

V - 7.1 (replaces version 7.0) Printing date 16.11.2021 Revision: 16.11.2021

Trade name: S100 Moto Wash

(Contd. of page 8)

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Date of previous version: 04.03.2021
- · Version number of previous version: 7.0
- Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3

* * Data compared to the previous version altered.