

Printing date 16.11.2021

V - 7.1 (replaces version 7.0)

Revision: 16.11.2021

OFOTION 4	
SECTION 1: Id	lentification of the substance/mixture and of the company/undertaking
1.1 Product id	entifier
Trade name: 🤮	S100 Moto Wash
Article numbe	r: 2003
	dentified uses of the substance or mixture and uses advised against Void i the substance / the mixture Cleaning agent/ Cleaner
Manufacturer/	Chemie GmbH 6 Istadt 35-0 vack.com
	nation obtainable from: Safety department y telephone number: During business hours: +49 841 635-23
SECTION 2: H	azards identification
Classification	ion of the substance or mixture according to Regulation (EC) No 1272/2008 19 Causes serious eye irritation.
	ording to Regulation (EC) No 1272/2008 classified and labelled according to the CLP regulation. rams
GHS07	
GHSUI	
Signal word W Hazard statem	
	serious eye irritation.
Precautionary P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
P501	present and easy to do. Continue rinsing. Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other haza	TandyDyBassassant
2.3 Other haza Results of PB	
Results of PB PBT: Not appli	cable.
Results of PB PBT: Not appli	cable.
Results of PB PBT: Not appli	cable.
<b>Results of PB</b> <b>PBT:</b> Not appli <b>vPvB:</b> Not app	cable.
Results of PB PBT: Not appli vPvB: Not app	cable. licable.

#### · Dangerous components: CAS: 64-17-5 1-5% ethanol *EINECS:* 200-578-6 *Reg.nr.:* 01-2119457610-43-xxxx *Flam. Liq. 2, H225; Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %*

(Contd. on page 2)

ΕU



Printing date 16.11.2021

V - 7.1 (replaces version 7.0)

Revision: 16.11.2021

Trade name: S100 Moto Wash

CAS: 111798-26-6	Poly(oxy- 1,2 -ethanediyl), alpha-(2-ethylhexyl)-omega- hydroxy-, phosphate, sodium salt Skin Irrit. 2, H315; Eye Irrit. 2, H319	(Contd. of page 1-5%
CAS: 28348-53-0 EINECS: 248-983-7 Reg.nr.: 01-2119489411-37-xxxx	sodium cumenesulphonate Eye Irrit. 2, H319	1-5%
CAS: 97489-15-1 EC number: 307-055-2 Reg.nr.: 01-2119489924-20-xxxx	Sulfonic acids, C14-17-sec-alkane, sodium salts Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 15 % Eye Irrit. 2; H319: 10 % ≤ C < 15 %	1-<3%
CAS: 3811-73-2 EINECS: 223-296-5	pyridine-2-thiol 1-oxide, sodium salt Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H332	<i>≥</i> 0.0025-<0.025%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air.
- After skin contact: Generally the product does not irritate the skin. Rinse with warm water.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

# SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: None
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

# SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)



V - 7.1 (replaces version 7.0)

Revision: 16.11.2021

Printing date 16.11.2021

v - 7.1 (replaces version 7.

Trade name: S100 Moto Wash

(Contd. of page 2)

- 6.3 Methods and material for containment and cleaning up: Pick up mechanically. Dispose contaminated material as waste according to item 13. Clean the affected area carefully; suitable cleaners are: Warm water
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

-----

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Protect from frost.
- · 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

64-17-5 ei	Inanol		
Oral	DNEL system. effects (long-term)	87 mg/kg KG/Tag (Consumer)	
Dermal	DNEL systemic effects	343 mg/kg (Worker)	
	DNEL system. effects (long-term)	206 mg/kg KG/Tag (Consumer)	
Inhalative	DNEL system. effects (long-term)	114 mg/m³ (Consumer)	
		950 mg/m³ (Worker)	
	DNEL local effects (short-term)	950 mg/m³ (Consumer)	
		1,900 mg/m³ (Worker)	
28348-53-	0 sodium cumenesulphonate	-	
Dermal	DNEL system. effects (long-term)	7.6 mg/kg KG/Tag (Worker)	
Inhalative	DNEL system. effects (long-term)	53.6 mg/m³ (Worker)	
97489-15-	1 Sulfonic acids, C14-17-sec-alk	ane, sodium salts	
Oral	DNEL system. effects (long-term)	7.1 mg/kg KG/Tag (Consumer)	
Dermal	DNEL local effects (short-term)	28,000 mg/m² (Consumer)	
		28,000 mg/m² (Worker)	
	DNEL system. effects (long-term)	3.57 mg/kg KG/Tag (Consumer)	
		5 mg/kg KG/Tag (Worker)	
Inhalative	DNEL local effects (long-term)	12.4 mg/m³ (Consumer)	
	DNEL system. effects (long-term)	35 ma/m³ (Worker)	



V - 7.1 (replaces version 7.0)

Revision: 16.11.2021

Printing date 16.11.2021

Trade name: S100 Moto Wash

PNEC		
	5 5 ethanol	
	0.79 mg/l (Meerwasser)	
FNEC		
	0.96 mg/l (fresh water)	
	-53-0 sodium cumenesulphonate	
	0.23 mg/l (fresh water)	
	-15-1 Sulfonic acids, C14-17-sec-alkane,	, sodium salts
PNEC	0.004 mg/l (Meerwasser)	
	0.04 mg/l (fresh water)	
Additi	onal information: The lists valid during the	e making were used as basis.
Gener The us Keep a Wash Avoid o Respin Hand Protec The glo Selecti Materi Nitrile of The se and va resista applica Peneti	ion of the glove material on consideration of al of gloves rubber, NBR election of the suitable gloves does not only pries from manufacturer to manufacturer. A nce of the glove material can not be calcul ation. ration time of glove material	ered to when handling chemicals.
observ	red. <b>ce protection</b> Safety glasses	, ,
observ <b>Eye/fa</b>	ce protection Safety glasses	
observ Eye/fa SECTI 9.1 Inf Gener Physic Colour Odour Odour	ce protection Safety glasses ON 9: Physical and chemical properties formation on basic physical and chemical al Information cal state r: f threshold:	al properties Fluid Yellow Characteristic Not determined
observ Eye/fa SECTI 9.1 Inf Gener Physic Colou Odour Odour Meltin	ce protection Safety glasses ON 9: Physical and chemical properties formation on basic physical and chemical al Information cal state r: f threshold: g point/freezing point:	al properties Fluid Yellow Characteristic Not determined Undetermined.
observ Eye/fa SECTI 9.1 Inf Gener Physic Colou Odour Odour Meltin Boilin	ce protection Safety glasses ON 9: Physical and chemical properties formation on basic physical and chemical al Information cal state r: f threshold:	al properties Fluid Yellow Characteristic Not determined Undetermined.
observ Eye/fa SECTI 9.1 Inf Gener Physic Colou Odour Odour Meltin Boiling range	ce protection Safety glasses ON 9: Physical and chemical properties formation on basic physical and chemical al Information cal state r: f threshold: g point/freezing point:	al properties Fluid Yellow Characteristic Not determined Undetermined. g
observ Eye/fa SECTI 9.1 Inf Gener Physic Colou Odour Odour Meltin Boilin range Flamn	ce protection Safety glasses ON 9: Physical and chemical properties formation on basic physical and chemica al Information cal state r: " " threshold: g point/freezing point: g point or initial boiling point and boiling	al properties Fluid Yellow Characteristic Not determined Undetermined. g 78-240 °C Not applicable.
observ Eye/fa SECTI 9.1 Inf Gener Physic Colour Odour Meltin Boilin range Flamn Lower Lower	ce protection Safety glasses ON 9: Physical and chemical properties formation on basic physical and chemical al Information cal state r: c threshold: g point/freezing point: g point or initial boiling point and boiling nability c and upper explosion limit	al properties Fluid Yellow Characteristic Not determined Undetermined. g 78-240 °C Not applicable. Void
observ Eye/fa SECTI 9.1 Inf Gener Physic Colour Odour Meltin Boiling range Flamn Lower	ce protection Safety glasses ON 9: Physical and chemical properties formation on basic physical and chemical al Information cal state r: c threshold: g point/freezing point: g point or initial boiling point and boiling nability c and upper explosion limit	al properties Fluid Yellow Characteristic Not determined Undetermined. g 78-240 °C Not applicable.



Printing date 16.11.2021

V - 7.1 (replaces version 7.0)

Revision: 16.11.2021

Trade name: S100 Moto Wash

	(Contd. of page
Auto-ignition temperature:	Product is not selfigniting.
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.
рН at 20 °C	7.5 +/- 0.2 (DIN 19268)
Viscosity:	
Kinematic viscosity	Not determined
Dynamic at 20 °C:	130 +/- 20 mPas (DIN 53019)
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
· Density at 20 °C:	1.03 +/- 0.02 g/cm³ (DIN 51757)
Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
Appearance:	
· Form:	Viscous
Important information on protection of health and	
environment, and on safety.	-
Ignition temperature:	Not determined
· Explosive properties:	Product does not present an explosion hazard.
<sup>•</sup> Change in condition	
· Evaporation rate	Not determined.
-	
<ul> <li>Information with regard to physical hazard classe</li> <li>Evaluation</li> </ul>	
· Explosives	Void
· Flammable gases · Aerosols	Void Void
Oxidising gases	Void
Gases under pressure	Void Void
· Flammable liquids · Flammable solids	Void
· Flammable solids · Self-reactive substances and mixtures	Void
	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	VUIU
Substances and mixtures, which emit flammable	Void
gases in contact with water · Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides · Corrosive to metals	Void Void
· Desensitised explosives	Void

### SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: Store away from oxidising agents.

(Contd. on page 6)



V - 7.1 (replaces version 7.0)

Revision: 16.11.2021

Trade name: S100 Moto Wash

Printing date 16.11.2021

(Contd. of page 5)

10.6 Hazardous decomposition products:

No decomposition if used and stored according to specifications. In case of fire, the following can be released: Carbon monoxide and carbon dioxide

# **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values rel	evant for classification:
64-17-5 e	thanol	
Oral	LD50	10,470 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>20 mg/l (mouse)
111798-2	6-6 Poly(o	xy- 1,2 -ethanediyl), alpha-(2-ethylhexyl)-omega-hydroxy-, phosphate, sodium salt
Oral	LD50	>5,000 mg/kg (rat)
28348-53	-0 sodium	cumenesulphonate
Oral	LD50	>7,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
97489-15	1 Sulfonio	c acids, C14-17-sec-alkane, sodium salts
Oral	LD50	>500-2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (mouse)
Respirato Germ cell Carcinog Reproduc STOT-sin STOT-rep Aspiratio	ory or skin I mutagen enicity Ba ctive toxic gle expos beated exp n hazard B	e/irritation Causes serious eye irritation. sensitisation Based on available data, the classification criteria are not met. icity Based on available data, the classification criteria are not met. sed on available data, the classification criteria are not met. ity Based on available data, the classification criteria are not met. ure Based on available data, the classification criteria are not met. sosure Based on available data, the classification criteria are not met. sosure Based on available data, the classification criteria are not met. sased on available data, the classification criteria are not met. assed on available data, the classification criteria are not met. assed on available data, the classification criteria are not met.
· Endocrin	e disruptii	ng properties
None of th	ne ingredie	nts is listed.
SECTION	12: Ecolo	gical information
· 12.1 Toxi	city	

Aquatic toxicity:

64-17-5 ethanol

EC50/48h >10,000 mg/l (daphnia magna)

LC50/48h 8,140 mg/l (leuciscus idus)

**111798-26-6 Poly(oxy- 1,2 -ethanediyl), alpha-(2-ethylhexyl)-omega-hydroxy-, phosphate, sodium salt** LC50/96h 75 mg/l (oncorhynchus mykiss) (DIN 38412/15)

(Contd. on page 7)

EU



Printing date 16.11.2021

V - 7.1 (replaces version 7.0)

Revision: 16.11.2021

Trade name: S100 Moto Wash

	(Contd. of page 6)
	h 342 mg/l (daphnia magna) (DIN 38412/11)
	h 267 mg/l (daphnia magna) (DIN 38412/11)
LC50/48h	n 260 mg/l (leuciscus idus) (DIN 38412/15)
28348-53	P-0 sodium cumenesulphonate
LC50/96h	n >1,000 mg/l (Fish)
EC50/48h	h >1,000 mg/l (daphnia magna)
97489-15	-1 Sulfonic acids, C14-17-sec-alkane, sodium salts
LC50/96h	n 1-10 mg/l (danio rerio)
EC50/72h	h >61 mg/l (Desmodesmus subspicatus)
EC50/48h	h 9.81 mg/l (daphnia magna)
3811-73-2	2 pyridine-2-thiol 1-oxide, sodium salt
LC50/96h	n 0.00767 mg/l (danio rerio)
EC50/72h	h 0.46 mg/l (selenastrum capricornutum)
EC50/3h	1.81 mg/l (Belebtschlamm)
EC50/48ł	h 0.022 mg/l (daphnia magna)
The product of the pr	Cocrine disrupting properties uct does not contain substances with endocrine disrupting properties. er adverse effects al ecological information: notes:
SECTION	N 13: Disposal considerations
· 13.1 Was	ste treatment methods
13.1 Was Recomm	nendation Disposal must be made according to official regulations.
13.1 Was Recomm Europea	nendation Disposal must be made according to official regulations. In waste catalogue
• <b>13.1 Was</b> • <b>Recomm</b> • <b>Europea</b> 20 00 00	nendation Disposal must be made according to official regulations. n waste catalogue MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
• <b>13.1 Was</b> • <b>Recomm</b> • <b>Europea</b> 20 00 00 20 01 00	nendation Disposal must be made according to official regulations. In waste catalogue MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

ΕU



Printing date 16.11.2021

V - 7.1 (replaces version 7.0)

Revision: 16.11.2021

Trade name: S100 Moto Wash

(Contd. of page 7)

SECTION 14: Transport information	
14.1 UN number or ID number ADR, IMDG, IATA	Void
14.2 UN proper shipping name ADR, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	None No
14.6 Special precautions for user	None
14.7 Maritime transport in bulk according instruments	to IMO Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

# SECTION 15: Regulatory information

• **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** No further relevant information available.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

# · Relevant phrases

H225 Highly flammable liquid and vapour.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

(Contd. on page 9)



Printing date 16.11.2021 V - 7.1 (replaces version 7.0)

Revision: 16.11.2021

Trade name: S100 Moto Wash

(Contd. of page 8) H332 Harmful if inhaled. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. • **Classification according to Regulation (EC) No 1272/2008** Calculation method • **Date of previous version:** 04.03.2021 • **Version number of previous version:** 7.0 • **Abbreviations and acronyms:** Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 2 Acute Tox. 4: Acute toxicity – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • \* **Data compared to the previous version altered.**